

Liste des publications - Cohorte STANISLAS

- 1- GEORGES JL, REGIS-BAILLY A, SALAH D, RAKOTOVAO R, SIEST G, VISVIKIS S, TIRET L
Family study of lipoprotein lipase gene polymorphisms and plasma triglyceride levels
Genet Epidemiol 1996, 13, 179-192
- 2- ZUREIK M, BONITHON-KOPP C, LECOMTE E, SIEST G, DUCIMETIERE P
Weights at birth and in early infancy, systolic blood pressure and left ventricular structure in subjects aged 8-24 years
Hypertension 1996, 27, Pt 1, 339-345
- 3- VAUTHIER JM, LLUCH A, LECOMTE E, ARTUR Y, HERBETH B
Family resemblance in energy and macronutrients intakes / The Stanislas family study
Int J Epidemiol 1996, 25, 1030-1037
- 4- BOHNET K., REGIS-BAILLY A, VINCENT-VIRY M, GUEGUEN R, SIEST G, VISVIKIS S
Apolipoprotein E genotype $\epsilon 4/\epsilon 2$ in the STANISLAS cohort study. Dominance of the epsilon2 allele?
Ann Hum Genet 1996, 60, 509-516
- 5- LECOMTE E, HERBETH B, NICAUD V, RAKOTOVAO R, ARTUR Y, TIRET L
Segregation analysis of fat mass, fat-free mass and percent body fat: the Stanislas Family study
Genet Epidemiol 1997, 14, 51-62
- 6- SCHLENCK A, BOHNET K, AGUILLON D, LAFAURIE C, SIEST G, VISVISKIS S
High sensitivity of laser-induced fluorescence detection in capillary gel electrophoresis for accurate apolipoprotein E genotyping
Biotechniques 1997, 22, 736-742
- 7- SALAH D, BOHNET K, GUEGUEN R, SIEST G, VISVIKIS S
Combined effects of lipoprotein lipase and apolipoprotein E polymorphisms on lipid and lipoprotein levels in the STANISLAS Cohort
J Lipid Res 1997, 38, 904-912
- 8- SIEST G, LECOMTE E, VISVIKIS S, HERBETH B, GUEGUEN R, VINCENT-VIRY M, STEINMETZ J, BEAUD B, LOCUTY J, CHEVRIER PH
Une étude familiale et longitudinale au Centre de Médecine Préventive de Nancy-lès-Vandœuvre. La cohorte Stanislas
In: Biologie Prospective. Comptes Rendus du IXe Colloque International de Pont à Mousson, Eurobiologie, 29 Septembre-3 Octobre 1996. GALTEAU MM, DELWAIDE P, SIEST G, HENNY J Eds, J Libbey Eurotext Publ 1997, 163-166
- 9- BOHNET K, SCHLENCK A, MERCHED A, SIEST G, VISVIKIS S
Apolipoprotein E R136C. A rare variant of human apolipoprotein E discovered during the STANISLAS Cohort Study
In: Biologie Prospective. Comptes Rendus du IXe Colloque International de Pont à Mousson, Eurobiologie, 29 Septembre-3 Octobre 1996. GALTEAU MM, DELWAIDE P, SIEST G, HENNY J Eds, J Libbey Eurotext Publ 1997, 167-170
- 10- VINCENT-VIRY M, MARANGON K, LIMASSET G, GUEGUEN R, HERBETH B, ARTUR Y, GALTEAU MM, SIEST G
Paraoxonase polymorphism in healthy families belonging to the Stanislas Cohort: description and influence of environmental factors
In: Biologie Prospective. Comptes Rendus du IXe Colloque International de Pont à Mousson, Eurobiologie, 29 Septembre-3 Octobre 1996. GALTEAU MM, DELWAIDE P, SIEST G, HENNY J Eds, J Libbey Eurotext Publ 1997, 149-153
- 11- MARANGON K, HERBETH B, VINCENT-VIRY M, ARTUR Y, GALTEAU MM, ESTERBAUER H, SIEST G
Trend towards a decrease of LDL resistance to copper-induced oxidation in paraoxonase allele B carriers, without any change in the lipoprotein composition
In: Biologie Prospective. Comptes Rendus du IXe Colloque International de Pont à Mousson, Eurobiologie, 29 Septembre-3 Octobre 1996. GALTEAU MM, DELWAIDE P, SIEST G, HENNY J Eds, J Libbey Eurotext Publ 1997, 155-158
- 12- SASS C, HERBETH B, ZANNAD F, SIEST G, VISVIKIS S
Blood pressure and apolipoprotein E genotypes in the Stanislas family study
In: Biologie Prospective. Comptes Rendus du IXe Colloque International de Pont à Mousson, Eurobiologie, 29 Septembre-3 Octobre 1996. GALTEAU MM, DELWAIDE P, SIEST G, HENNY J Eds, J Libbey Eurotext Publ 1997, 171-174
- 13- SALAH D, BOHNET K, GUEGUEN R, SIEST G, VISVIKIS S
Interaction between lipoprotein lipase and apolipoprotein E polymorphism and levels on serum triglyceride variability: Stanislas Cohort Study
In: Biologie Prospective. Comptes Rendus du IXe Colloque International de Pont à Mousson, Eurobiologie, 29 Septembre-3 Octobre 1996. GALTEAU MM, DELWAIDE P, SIEST G, HENNY J Eds, J Libbey Eurotext Publ 1997, 175-179
- 14- MARANGON K, HERBETH B, ARTUR Y, ESTERBAUER M, SIEST G
Low and very low density lipoprotein composition and resistance to copper-induced oxidation are not notably modified in smokers
Clin Chim Acta 1997, 265, 1-12

- 15- HENRY M, TREGOUET DA, ALESSI MC, AILLAUD MF, VISVIKIS S, SIEST G, TIRET L, JUHAN-VAGUE I
Metabolic determinants are much more important than genetic polymorphisms in determining the PAI-1 activity and antigen plasma concentrations. A family study with part of the Stanislas Cohort
Arterioscler Thromb Vasc Biol 1998, 18, 84-91
- 16- SIEST G, VISVIKIS S, HERBETH B, GUEGUEN R, VINCENT-VIRY M, SASS C, BEAUD B, LECOMTE E, STEINMETZ J, LOCUTY J, CHEVRIER PH
Objectives, design and recruitment of a familial and longitudinal cohort for studying gene-environment interactions in the field of cardiovascular risk: the Stanislas Cohort
Clin Chem Lab Med 1998, 36, 35-42
- 17- VINCENT-VIRY M, SCHIELE F, GUEGUEN R, BOHNET K, VISVIKIS S, SIEST G
Biological variations and genetic reference values for apolipoprotein E serum concentrations: results from the Stanislas cohort study
Clin Chem 1998, 44, 957-965
- 18- THILLET J, DOUCET C, CHAPMAN J, HERBETH B, COHEN D, FAURE-DELANEF L
Elevated lipoprotein (a) levels and small apo(a) isoforms are compatible with longevity. Evidence from a large population of french centenarians
Atherosclerosis 1998, 136, 389-394
- 19- STEINMETZ J, FOURNIER B, HENNY J, GALTEAU MM, HERBETH B, SIEST G, et Groupe des Biologistes des Centres d'Examens de Santé
Stratégie pour l'ajout d'un dosage de l'apolipoprotéine B dans les bilans réalisés par les Centres d'Examens de Santé Validation dans la Cohorte Stanislas
Ann Biol Clin 1998, 56, 189-194
- 20- SASS C, ZANNAD F, HERBETH B, SALAH D, CHAPET O, SIEST G, VISVIKIS S
Apolipoprotein E, lipoprotein lipase C447 and angiotensin-I converting enzyme deletion alleles were not associated with increased wall thickness of carotid and femoral arterial in healthy subjects from the Stanislas Cohort
Atherosclerosis 1998, 140, 89-95
- 21- CHENG S, PALLAUD C, GROW MA, SCHARF SJ, ERLICH HA, KLITZ W, PULLINGER CR, MALLOY MJ, KANE JP, SIEST G, VISVIKIS S
A multilocus genotyping assay for cardiovascular disease
Clin Chem Lab Med 1998, 36, 561-566
- 22- ZANNAD F, VISVIKIS S, GUEGUEN R, SASS C, CHAPET O, HERBETH B, SIEST G
Genetics strongly determines the wall thickness of the left and right carotid arteries
Hum Genet 1998, 103, 183-188
- 23- SASS C, HERBETH B, CHAPET O, SIEST G, VISVIKIS S, ZANNAD F
Intima-media thickness and diameter of carotid and femoral arteries in children, adolescents and adults from the Stanislas Cohort: effect of age, sex, anthropometry and blood pressure
J Hypertens 1998, 16, 1593-1602
- 24- TREGOUET DA, DUCIMETIERE P, BOCQUET V, VISVIKIS S, SOUBRIER F, TIRET L
A parametric copula model for analysis of familial binary data
Am J Hum Genet 1999, 64, 886-893
- 25- PALLAUD C, MAURICE M, CHENG S, GROW M, AGUILLON D, SASS C, SIEST G, VISVIKIS S
Multilocus approach to cardiovascular risk
Scand J Clin Lab Invest 1999, 59 (Suppl.230), 168-176
- 26- TREGOUET DA, HERBETH B, JUHAN-VAGUE I, SIEST G, DUCIMETIERE P, TIRET L
Bivariate familial correlation analysis of quantitative traits by use of estimating equations. Application to the insulin resistance syndrome
Genet Epidemiol 1999, 16, 69-83
- 27- CHENG S, GROW MA, PALLAUD C, KLITZ W, ERLICH HA, VISVIKIS S, CHEN JJ, PULLINGER CR, MALLOY MJ, SIEST G, KANE CP
A multilocus genotyping assay for candidate markers of cardiovascular disease risk
Genome Res 1999, 9, 936-949
- 28- SASS C, PALLAUD C, ZANNAD F, VISVIKIS S
Relationship between E-selectin L/F554 polymorphism and blood pressure in the Stanislas Cohort
Hum Genet 2000, 107, 58-61
- 29- AUBERT R, BETOULLE D, HERBETH B, SIEST G, FUMERON F
5-HT_{2A} receptor gene polymorphism is associated with food and alcohol intake in obese people
Int J Obes Relat Metab Disord 2000, 24, 920-924
- 30- SCHIELE F, VINCENT-VIRY M, HERBETH B, VISVIKIS A, SIEST G
Effect of short and long-term storage on human serum and recombinant apolipoprotein E concentration
Clin Chem Lab Med 2000, 38, 525-528
- 31- VISVIKIS S, SASS C, PALLAUD C, GROW M, ZANNAD F, SIEST G, ERLICH H, CHENG S
Familial studies on the genetics of cardiovascular diseases: the Stanislas Cohort
Clin Chem Lab Med 2000, 38, 827-832
- 32- LLUCH A, HERBETH B, MEJEAN L, SIEST G
Dietary intakes, eating style and overweight status in the Stanislas Family Study
Int J Obes Relat Metab Disord 2000, 24, 1493-1499

- 33- SCHIELE F, DE BACQUER D, VINCENT-VIRY M, BEISIEGEL U, EHNHOLM C, EVANS A, KAFATOS A, MARTINS MC, SANS S, SASS C, VISVIKIS S, DE BACKER G, SIEST G, The ApoEurope Group
Apolipoprotein E serum concentration and polymorphism in six European Countries: the ApoEurope Project
Atherosclerosis 2000, 152, 475-488
- 34- CHENILLOT O, HENNY J, STIENMETZ J, HERBETH B, WAGNER C, SIEST G
High sensitivity C-reactive protein: biological variations and reference limits
Clin Chem Lab Med 2000, 38, 1003-1011
- 35- MAMMES O, BETOULLE D, AUBERT R, HERBETH B, SIEST G, FUMERON F
Association of the G-2548A polymorphism in the 5' region of the LEP gene with overweight
Ann Hum Genet 2000, 64, 391-394
- 36- SIEST G, BERTRAND P, HERBETH B, VINCENT-VIRY M, SCHIELE F, SASS C, VISVIKIS S
Apolipoprotein E polymorphisms and concentration in chronic diseases and drug responses
Clin Chem Lab Med 2000, 38, 841-852
- 37- SASS C, HERBETH B, SIEST G, VISVIKIS S
Lipoprotein lipase (C/G) 447 polymorphism and blood pressure in the Stanislas cohort
J Hypertension 2000, 18, 1775-1781
- 38- GARNER C, LECOMTE E, VISVIKIS S, ABERGEL E, LATHROP M, SOUBRIER F
Genetic and environmental influences on left ventricular mass: a family study
Hypertension 2000, 36, 740-746
- 39- ROLAND E, GUEGUEN R, ARTIS O
Ressemblance familiale de la maladie carieuse
11^{ème} Colloque des Centres d'Examens de Santé. Nancy, 25-26-27 octobre 2000, 232-236
- 40- STARCK M, SCHIELE F, HERBETH B, VINCENT-VIRY M, BEAUD B, SIEST G, VISVIKIS S
Apolipoproteins E and C-III serum concentration in apoB and non-apo B-containing lipoproteins in middle-aged women from the Stanislas Cohort: Effect of oral contraceptive use and apolipoprotein E common polymorphism
Atherosclerosis 2001, 155, 509-516
- 41- FUMERON F, BETOULLE D, AUBERT R, HERBETH B, SIEST G, RIGAUD D
Association of a functional 5-HT transporter gene polymorphism with anorexia nervosa and food intake
Mol Psychiatr 2001, 6, 9-10
- 42- HERBETH B, LLUCH A, BEN BELGACEM S, SIEST G
Le petit déjeuner dans la Cohorte Stanislas: contribution aux apports en énergie, macro et micronutriments
Cah Nutr Diet 2001, 36, 58-68
- 43- PALLAUD C, SASS C, ZANNAD F, SIEST G, VISVIKIS S
ApoCIII, CETP, fibrinogen, and MTHFR are genetic determinants of carotid intima media thickness in the healthy men (the Stanislas Cohort)
Clin Genet 2001, 59, 316-324
- 44- PALLAUD C, STRANIERI C, SASS C, SIEST G, PIGNATTI F, VISVIKIS S
Candidate gene polymorphism in cardiovascular disease: a comparative study of frequencies between a French and an Italian population
Clin Chem Lab Med 2001, 39, 146-154
- 45- TREGOUET DA, PALLAUD C, SASS C, VISVIKIS S, TIRET L
Sample size calculations for classical association and TDT-type methods using family data
Ann Hum Genet 2001, 65, 293-312
- 46- MAMMES O, BETOULLE D, AUBERT R, PEAN F, HERBETH B, VISVIKIS S, SIEST G, FUMERON F
LEPR gene polymorphisms: associations with overweight, fat mass and response to diet in women
Eur J Clin Invest 2001, 31, 398-404
- 47- TREGOUET DA, AUBERT H, HENRY M, MORANGE P, VISVIKIS S, JUHAN-VAGUE I, TIRET L
Combined segregation-linkage analysis of plasma thrombin activatable fibrinolysis inhibitor (TAFI) antigen levels with TAFI gene polymorphisms
Hum Genet 2001, 109, 191-197
- 48- GONBERT S, SAINT-JORE B, GIRAL P, DOUCET C, CHAPMAN J, THILLET J
Molecular analysis of Apo(a) fragmentation in polygenic hypercholesterolemia. Characterization of a new plasma fragment pattern
Arterioscler Thromb Vasc Biol 2001, 21, 1353-1358
- 49- PALLAUD C, SASS C, ZANNAD F, SIEST G, VISVIKIS S
L'APOC3, la CETP, le beta-fibrinogène et la MTHFR sont des déterminants génétiques de l'épaisseur intima-média de la carotide (cohorte Stanislas)
Arch Mal Cœur Vaisseaux 2001, 94, 851-854
- 50- SASS C, PALLAUD C, ZANNAD F, VISVIKIS S
Association entre le polymorphisme Leu554Phe de l'E-sélectine et la pression artérielle au sein de la cohorte Stanislas
Arch Mal Cœur Vaisseaux 2001, 94, 855-858
- 51- PALLAUD C, GUEGUEN R, SASS C, GROW M, CHENG S, SIEST G, VISVIKIS S
Genetic influences on lipid metabolism trait variability within the Stanislas Cohort

- J Lipid Res 2001, 42, 1879-1890
- 52- ZANNAD F, SASS C, VISVIKIS S
Environmental and genetic determinants of intima-media thickness of the carotid artery
Clin Exp Pharmacol Physiol 2001, 28, 1007-1010
- 53- HOY A, TREGOUET D, LEININGER-MULLER B, POIRIER O, MAURICE M, SASS C, SIEST G, TIRET L, VISVIKIS S
Serum myeloperoxidase concentration in a healthy population: biological variations, familial resemblance and new genetic polymorphisms
Eur J Hum Genet 2001, 9, 780-786
- 54- VISVIKIS S, HERBETH B, KUNTZ C, SCHIELE F, POIRIER O, DONGER C, NICAUD V, CAMBIEN F
Polymorphism of three genes involved in bone turnover: no association with bone mineral density in women – the NANDOS Study
URL: www.genecanvas.org/ARTNANDOS.htm - (06/09/2001)
- 55- RAYA G, HENNY J, STEINMETZ J, HERBETH B, SIEST G
Soluble transferrin receptor (sTfR): biological variations and reference limits
Clin Chem Lab Med 2001, 39, 1162-1168
- 56- SCHIELE F, VINCENT-VIRY M, STARCK M, BEAUD B, HENNACHE G, SIEST G, VISVIKIS S, HERBETH B
Apolipoprotein E in apolipoprotein B (apoB)- and non-apoB-containing lipoproteins in 3523 participants in the Stanislas Cohort: biological variation and genotype-specific reference limits
Clin Chem 2002, 48, 291-300
- 57- DE ANDRADE M, GUEGUEN R, VISVIKIS S, SASS C, SIEST G, AMOS CI
Extension of variance components approach to incorporate temporal trends and longitudinal pedigree data analysis
Genetic Epidemiology 2002, 22, 221-232
- 58- BILLON S, LLUCH A, GUEGUEN R, BERTHIER AM, SIEST G, HERBETH B
Family resemblance in breakfast energy intake: the Stanislas Family Study
Eur J Clin Nutr 2002, 56, 1011-1019
- 59- MANSOUR-CHEMALY M, HADDY N, SIEST G, VISVIKIS S
Family studies: their role in the evaluation of genetic cardiovascular risk factors
Clin Chem Lab Med 2002, 40, 1085-1096
- 60- GUEGUEN S, HERBETH B, SIEST G, LEROY P
An isocratic liquid chromatographic method with diode-array detection for the simultaneous determination of alpha-tocopherol, retinol, and five carotenoids in human serum
J Chromatogr Sci 2002, 40, 69-76
- 61- GUEGUEN S, HERBETH B, PIROLLET P, PAILLE F, SIEST G, VISVIKIS S
Changes in serum apolipoprotein and lipoprotein profile after alcohol withdrawal: effect of apolipoprotein E polymorphism
Alcohol Clin Exp Res 2002, 26(4), 501-508
- 62- BERTRAND PH, STARCK M, HERBETH B, VINCENT-VIRY M, SCHIELE F, SIEST G
Serum total antioxidant status is higher in postmenopausal women and after estrogen replacement therapy
Clin Chem Lab Med 2002, 40(8), 850-852
- 63- SIEST G, ZAIYOU M, VISVIKIS S
Human apolipoprotein E concentration in response to diseases and therapeutic treatments
Drug Development Research 2002, 56, 95-110
- 64- HADDY N, BACQUER DD, CHEMALY MM, MAURICE M, EHNHOLM C, EVANS A, SANS S, MARTINS MDO C, BACKER GD, SIEST G, VISVIKIS S
The importance of plasma apolipoprotein E concentration in addition to its common polymorphism on inter-individual variation in lipid levels: results from Apo Europe
Eur J Hum Genet 2002, 10, 841-850
- 65- SOUBRIER F, MARTIN S, ALONSO A, VISVIKIS S, TIRET L, MATSUDA F, LATHROP GM, FARRALL M
High-resolution genetic mapping of the ACE-linked QTL influencing circulating ACE activity
Eur J Hum Genet 2002, 10(9), 553-561
- 66- HABDOUS M, VINCENT-VIRY M, VISVIKIS S, SIEST G
Rapid spectrophotometric method for serum glutathione S-transferases activity
Clin Chim Acta 2002, 326, 131-142
- 67- TILLY P, SASS C, VINCENT-VIRY M, AGUILLON D, SIEST G, VISVIKIS S
Biological and genetic determinants of serum apoC-III concentration: reference limits from the Stanislas Cohort
J Lipid Res 2003, 44, 430-436
- 68- HABDOUS M, HERBETH B, VINCENT-VIRY M, LAMONT JV, FITZGERALD PS, VISVIKIS S, SIEST G
Serum total antioxidant status, erythrocyte superoxide dismutase and whole-blood glutathione peroxidase activities in the Stanislas Cohort: influencing factors and reference intervals
Clin Chem Lab Med 2003, 41(2), 209-215
- 69- VINCENT-VIRY M, SASS C, BASTIEN S, AGUILLON D, SIEST G, VISVIKIS S
PON1-192 phenotype and genotype assessments in 918 subjects of the Stanislas Cohort Study
Clin Chem Lab Med 2003, 41(4), 535-540

- 70- XIA Y, GUEGUEN R, VINCENT-VIRY M, SIEST G, VISVIKIS S
Effect of six candidate genes on early aging in a French population
Aging Clinical and Experimental Research 2003, 15, 111-116
- 71- LEININGER-MULLER B, HOY A, HERBETH B, PFISTER M, SEROT JM, STAVLJENIC-RUKAVINA M, MASSANA L, PASSMORE P, SIEST G, VISVIKIS S, and ApoEurope Group
Myeloperoxidase G-463A polymorphism and Alzheimer's disease in the ApoEurope Study
Neuroscience Letters 2003, 349, 95-98
- 72- LA BATIDE-ALANORE A, TREGOUET DA, SASS C, SIEST G, VISVIKIS S, TIRET L
Family study of the relationship between height and cardiovascular risk factors in the STANISLAS cohort
Int J Epidemiol 2003, 32, 607-614
- 73- PONTHEIUX A, LAMBERT D, HERBETH B, DROESCH S, PFISTER M, VISVIKIS S
Association between Gly241Arg ICAM-1 gene polymorphism and serum sICAM-1 concentration in the Stanislas Cohort
Eur J Hum Genet 2003, 11, 679-686
- 74- HADDY N, SASS C, DROESCH S, ZAIYOU M, SIEST G, PONTHEIUX A, LAMBERT D, VISVIKIS S
IL-6, TNF-alpha and atherosclerosis risk indicators in a healthy family population: the STANISLAS cohort
Atherosclerosis 2003, 170, 277-283
- 75- MAUMUS S, MARTEAU JB, SIEST G, VISVIKIS S
Génétique et facteurs de risque cardiovasculaire
Sang Thrombose Vaisseaux 2003, 15, 449-453
- 76- PONTHEIUX A, HERBETH B, DROESCH S, LAMBERT D, VISVIKIS S
Age- and sex-related reference values for serum adhesion molecule concentrations in healthy individuals: Intercellular adhesion molecule-1 and E-, P- and L-selectin
Clin Chem 2003, 49(9), 1544-1546
- 77- HABDOUS M, SIEST G, HERBETH B, VINCENT-VIRY M, VISVIKIS S
Polymorphismes des glutathion S-transférases et pathologies humaines: bilan des études épidémiologiques
Ann Biol Clin 2004, 62, 15-24
- 78- HABDOUS M, VINCENT-VIRY M, HERBETH B, VISVIKIS S, SIEST G
Facteurs de variations biologiques et intervalle de référence de l'activité GST sérique: résultats de la cohorte Stanislas
Ann Biol Clin 2004, 62, 244-245
- 79- PONTHEIUX A, HERBETH B, DROESCH S, HADDY N, LAMBERT D, VISVIKIS S
Biological determinants of serum ICAM-1, E-selectin and L-selectin levels in healthy subjects: the Stanislas study
Atherosclerosis 2004, 172, 299-308
- 80- SASS C, CHENG S, SIEST G, VISVIKIS S
Genetic influences on blood pressure within the Stanislas Cohort
J Hypertens 2004, 22, 297-304
- 81- MARTEAU JB, SASS C, PFISTER M, LAMBERT D, NOYER-WEIDNER M, VISVIKIS S
The Leu554Phe polymorphism in the E-selectin gene is associated with blood pressure in overweight people
J Hypertens 2004, 22, 305-311
- 82- TARALUNGA C, GUEGUEN R, VISVIKIS S, REGNAULT V, SASS C, SIEST G, LECOMPTE T, WAHL D
Phenotypic sensitivity to activated protein C in healthy families: importance of genetic components and environmental factors
Br J Haematol 2004, 126, 392-397
- 83- SIEST G
Study of reference values and biological variation: a necessity and a model for Preventive Medicine Centers
Clin Chem Lab Med 2004, 42, 810-816
- 84- HABDOUS M, HERBETH B, HADDY N, PONTHEIUX A, BOLT HM, SIEST G, Their R, LAMBERT D, VISVIKIS S
Smoking, genetic polymorphisms of glutathione S-transferases and biological indices of inflammation and cellular adhesion in the Stanislas study
EXCLI J 2004, 3, 58-67
- 85- MAGGIE CYNg, WANG Y, SO WY, CHENG S, VISVIKIS S, ZEE RYL, FERNANDEZ-CRUZ A, LINDPAINTNER K, CHAN JCN
Ethnic differences in the linkage disequilibrium and distribution of single-nucleotide polymorphisms in 35 candidate genes for cardiovascular diseases
Genomics 2004, 83, 559-565
- 86- SASS C, BLANQUART C, MORANGE PE, PFISTER M, VISVIKIS-SIEST S
Association between factor VII polymorphisms and blood pressure. The Stanislas Cohort
Hypertension, 2004, 44, 674-680
- 87- FRANÇOIS A, MAUMUS S, VINCENT-VIRY M, GUÉGUEN R, SIEST G, VISVIKIS S
Age- and sex-related reference values for serum insulin concentration and its biological determinants in a French healthy population. The STANISLAS cohort
Clin Chem Lab Med 2004, 42, 1140-1149
- 88- HADDY N, SASS C, MAUMUS S, MARIE B, DROESCH S, SIEST G, LAMBERT D, VISVIKIS S

- Biological variations, genetic polymorphisms and familial resemblance of TNF- α and IL-6 concentrations: STANISLAS cohort
Eur J Hum Genet 2005, 11, 109-117
- 89- MARTEAU J.B., MOHR S., PFISTER M., VISVIKIS-SIEST S
Collection and storage of human blood cells for mRNA expression profiling: A 15-month stability study
Clin Chem 2005, 51, 1250-1252
- 90- MAUMUS S, MARIE B, SIEST G, VISVIKIS-SIEST S
A prospective study on the prevalence of metabolic syndrome (MS) among healthy French families. Two cardiovascular risk factors (HDL-C and TNF-alpha) are revealed in MS offspring
Diabetes Care 2005, 28, 675-682
- 91- GUEGUEN S, LEROY P, GUEGUEN R, SIEST G., VISVIKIS S., HERBETH B
Genetic and environmental contributions to serum retinol and α -tocopherol concentrations: the Stanislas family study
Am J Clin Nutr, 2005, 81, 1034-1044
- 92- HERBETH B, AUBRY E, FUMERON F, AUBERT R, CAILOTTO F, SIEST G, VISVIKIS-SIEST S
Polymorphism of the 5-HT_{2A} receptor gene and food intakes in children and adolescents: the Stanislas Family study¹⁻³
Am J Clin Nutr 2005, 82, 467-470
- 93- GAMBIER N, BATT AM, MARIE B, PFISTER M, SIEST G, VISVIKIS-SIEST S
Association of CYP2A6*1B genetic variant with the amount of smoking in French adults from the Stanislas Cohort
The Pharmacogenomics J 2005, 5, 271-275
- 94- XIA Y, BAUM L, PANG CP, SIEST G, VISVIKIS S
Cardiovascular risk-associated allele frequencies for 15 genes in healthy elderly French and Chinese
Clin Chem Lab Med 2005, 43(8), 817-822
- 95- MARTEAU JB, HERBETH B, LAMBERT D, VISVIKIS-SIEST S
E-selectin genotypes and risk of type 2 diabetes in women: genetic and environmental contributions to serum soluble E-selectin concentrations
Obes Res 2005, 13(10), 1845-1847
- 96- BERRAHMOUNE H, LAMONT J, FITZGERALD P, VISVIKIS-SIEST S
Inter-individual variation of inflammatory markers of cardiovascular risks and diseases
Clin Chem Lab Med 2005, 43(7), 671-684
- 97- MORANGE PE, TREGOUET DA, FRERE C, SAUT N, PELLEGRINA L, ALESSI MC, VISVIKIS S, TIRET L, JUHAN-VAGUE I
Biological and genetic factors influencing plasma factor VIII levels in a healthy family population: results from the Stanislas Cohort
British J Haematology 2005, 128, 91-99
- 98- MAUMUS S, NAPOLI A, SZATHMARY L, VISVIKIS-SIEST S
Fouille de données biomédicales complexes: extraction de règles et de profils génétiques dans le cadre de l'étude du syndrome métabolique
In: PERRIERE G, GUENOCHÉ A, GOURGEON C éditeurs. Actes des 6^e Journées Ouvertes: Biologie, Informatique et Mathématiques (JOBIM 2005), Lyon, France. Short paper, 2005, 169-173
- 99- MAUMUS S, NAPOLI A, SZATHMARY L, VISVIKIS-SIEST S
Exploitation des données de la cohorte Stanislas par des techniques de fouille de données numériques et symboliques utilisées seules ou en combinaison
Atelier Fouille de Données Complexes dans un Processus d'Extraction des Connaissances. EGC 2005 (5^e Journées d'Extraction et Gestion des Connaissances), Paris, France. Position paper, 2005, 73-76
- 100- SZATHMARY L, MAUMUS S, PETRONIN P, TOUSSAINT Y, NAPOLI A
Vers l'extraction de motifs rares
In: RITSCHARD G, DJERABA C éditeurs. Extraction et gestion des connaissances. EGC 2006 (6^e Journées d'Extraction et Gestion des Connaissances), Lille, France. RNTI-E-6, Cépaduès-Éditions Toulouse 2006, 499-510
- 101- BERRAHMOUNE H, LAMONT JV, HERBETH B, FITZGERALD PS, VISVIKIS-SIEST S
Biological determinants of and reference values for plasma interleukin-8, Monocyte Chemoattractant Protein-1, Epidermal Growth Factor, and Vascular Endothelial Growth Factor: Results from the STANISLAS Cohort
Clin Chem 2006, 52, 504-510
- 102- GAMBIER N, MARTEAU JB, BATT AM, MARIE B, THOMPSON A, SIEST G, FOERNZLER D, VISVIKIS-SIEST S
Interaction between CYP1A1 T3801C and AHR G1661A polymorphisms according to smoking status on blood pressure in the Stanislas cohort
J Hypertens 2006, 24, 2199-2205
- 103- HERBETH B, GUILLAND JC, ROCHETTE L, SIEST G, VISVIKIS-SIEST S
Genetic and environmental contributions to serum ascorbic acid concentrations: the Stanislas Family Study
British J Nutr 2006, 96, 1013-1020
- 104- MAUMUS S, NAPOLI A, SZATHMARY L, TOUSSAINT Y

Réflexions sur l'extraction de motifs rares

In: Comptes-rendus des 13èmes rencontres de la Société Francophone de Classification (SFC 2006), Metz, France, 2006, 157-162

- 105- BERRAHMOUNE H, HERBETH B, LAMONT JV, MASSON C, FITZGERALD PS, VISVIKIS-SIEST S
Heritability of plasma VEGF concentration in the Stanislas Family Study
Ann Hum Genet 2007, 71, 54-63
- 106- BERRAHMOUNE H, HERBETH B, LAMONT JV, MASSON C, FITZGERALD SP, VISVIKIS-SIEST S
Lack of association between EGF 61A>G polymorphism and plasma EGF concentration in the STANISLAS family study
J Invest Dermatol 2007, 127(4), 969-970
- 107- MAUMUS S, MARIE B, VINCENT-VIRY M, SIEST G, VISVIKIS-SIEST S
Analysis of the effect of multiple genetic variants of cardiovascular disease risk on insulin concentration variability in healthy adults of the STANISLAS cohort. The role of FGB -455 G/A polymorphism
Atherosclerosis 2007, 191, 369-376
- 108- BERRAHMOUNE H, HERBETH B, LAMONT JV, FITZGERALD PS, VISVIKIS-SIEST S
Association between TNF and IL-1 bloc polymorphisms and plasma MCP-1 concentration
Atherosclerosis 2007, 192, 348-353
- 109- BERRAHMOUNE H, HERBETH B, SIEST G, VISVIKIS-SIEST S
Heritability of serum hs-CRP concentration and 5-year changes in the Stanislas Family Study: Association with apolipoprotein E alleles
Genes and Immunity 2007, 8(4), 352-359
- 110- VISVIKIS-SIEST S, MARTEAU JB, SAMARA A, BERRAHMOUNE H, MARIE B, PFISTER M
Peripheral blood mononuclear cells (PBMCs): a possible model for studying cardiovascular biology systems
Clin Chem Lab Med 2007, 45(9), 1154-1168
- 111- BERRAHMOUNE H, HERBETH B, LAMONT JV, LAMBERT D, BLANKENBERG S, TIRET L, FITZGERALD PS, SIEST G, VISVIKIS-SIEST S
Association of classical and related inflammatory markers with high-sensitivity C-reactive protein in healthy individuals: results from the Stanislas cohort
Clin Chem Lab Med 2007, 45(10), 1339-1346
- 112- JEANNESSON E, ALBERTINI L, SIEST G, GOMES AM, RIBEIRO V, ASLANIDIS C, SCHMITZ G, VISVIKIS-SIEST S
Determination of ABCB1 polymorphisms and haplotypes frequencies in a French population
Fundam Clin Pharmacol 2007, 21(4), 411-418
- 113- MAUMUS S, SIEST G, VISVIKIS-SIEST S
Une étude prospective de la prévalence du syndrome métabolique dans des familles françaises supposées sines: importance du polymorphisme du TNF-alpha et de sa concentration plasmatique
Ann Pharm Fr 2007, 65(2), 211-216
- 114- HERBETH B, GUEGUEN S, LEROY P, SIEST G, VISVIKIS-SIEST S
The lipoprotein lipase serine 447stop polymorphism is associated with altered serum carotenoid concentrations in the Stanislas family study
J Am Coll Nutrition 2007, 26(6), 655-662
- 115- ALBUISSON E, MAUMUS S, NDIAYE NC, MARIE B, JAY N, KOHLER F, SIEST G, VISVIKIS-SIEST S
Genetic profiling in healthy subjects from the Stanislas cohort based on 24 polymorphisms: effects on biological variables
Clin Chem Lab Med 2008, 46(1), 64-72
- 116- SIEST G, JEANNESSON E, MARTEAU JB, SAMARA A, MARIE B, PFISTER M, VISVIKIS-SIEST S
Transcription factor and drug-metabolizing enzyme gene expression in lymphocytes from healthy human subjects
Drug Metab Dispos 2008, 36(1), 182-189
- 117- BERTRAND-THIEBAULT C, BERRAHMOUNE H, THOMPSON A, MARIE B, DROESCH S, SIEST G, FOERNZLER D, VISVIKIS-SIEST S
Genetic polymorphism of CYP2C19 gene in the Stanislas cohort. A link with inflammation
Ann Hum Genetics 2008, 72, 178-183
- 118- VISVIKIS-SIEST S, SAMARA A, MEYRE D, HERBETH B, FROGUEL P
Significant Relationships Between FTO Variants and 5-Year BMI Changes in Children and Adolescents of the Stanislas Cohort
PloS Genetics 2008 (Response published online 15 February 2008 to this article: Scuteri A, Sanna S, Chen WM, UDA M, ALBAI G & al. Genome-Wide Association Scan Shows Genetic Variants in the FTO Gene Are Associated with Obesity-Related Traits. PLoS Genetics 2007, 3(7), e115)
- 119- VISVIKIS-SIEST S, SIEST G
The STANISLAS Cohort: a 10 years follow-up of supposed healthy families. Gene-environment interactions, reference values and biomarker's evaluation in prevention for cardiovascular diseases
Clin Chem Lab Med 2008, 46(6):733-747
- 120- MARTEAU JB, LAMBERT D, HERBETH B, MARIE B, DROESCH S, TREGOUET DA, VISVIKIS-SIEST S.
P-selectin polymorphisms' influences on P-selectin serum concentrations and on their familial correlation: the STANISLAS family study

- J Thrombos Haemos 2008, 6(6):920-927
- 121- BERRAHMOUNE H, HERBETH B, SAMARA A, MARTEAU JB, SIEST G, VISVIKIS-SIEST S
Five-year alterations in BMI are associated with clustering of changes in cardiovascular risk factors in a gender-dependant way: the Stanislas study
Int J Obesity 2008, 32:1279-1288
- 122- SAMARA A, MARIE B, PFISTER M, VISVIKIS-SIEST S
Leptin expression in Peripheral Blood Mononuclear Cells (PBMCs) is related with blood pressure variability
Clinica Chimica Acta 2008, 395:47-50
- 123- SAMARA A, PFISTER M, MARIE B, VISVIKIS-SIEST S.
Visfatin, low-grade inflammation and body mass index (BMI)
Clin Endocrinology 2008, 69:568-574
- 124- BOUATIA-NAJI N, BONNEFOND A, CAVALCANTI-PROENÇA C, SPARSØ T, HOLMKVIST J, MARCHAND M, DELPLANQUE J, LOBBENS S, ROCHELEAU G, DURAND E, DE GRAEVE F, BORCH-JOHNSEN K, HARTIKAINEN A-L, TICHET J, MARRE M, WEILL J, HEUDE B, TAUBER M, JARVELIN M-R, ELLIOTT P, JØRGENSEN T, CHARPENTIER G, HADJADJ S, CAUCHI S, VAXILLAIRE M, SLADEK R, VISVIKIS-SIEST S, BALKAU B, LÉVY-MARCHAL C, BLAKEMORE AIF, WALLEY AJ, MEYRE D, HANSEN T, DINA C, PEDERSEN O, FROGUEL P
A variant near MTNR1B is associated with increased fasting plasma glucose levels and type 2 diabetes risk
Nat Genet 2009, 41:89-94
- 125- MEYRE D, DELPLANQUE J, CHÈVRE JC, LECOEUR C, LOBBENS S, GALLINA S, DURAND E, VATIN V, DEGRAEVE F, PROENÇA C, GAGET S, KÖRNER A, KOVACS P, KIESS W, TICHET J, MARRE M, HARTIKAINEN AL, HÖRBER F, POTOCZNA N, HERCBERG S, LEVY-MARCHAL C, PATTOU F, HEUDE B, TAUBER M, MCCARTHY MI, BLAKEMORE AIF, MONTPETIT A, POLYCHRONAKOS C, WEILL J, COIN LJM, ASHER J, ELLIOTT P, JARVELIN MR, VISVIKIS-SIEST S, BALKAU B, SLADEK R, BALDING D, WALLEY A, DINA C, FROGUEL P
Genome-wide association study for early-onset and morbid adult obesity identifies three new loci in European populations
Nat Genet 2009, 41:157-159
- 126- BERRAHMOUNE H, LAMONT JV, HERBETH B, LAMBERT D, MASSON C, MCPHILLIPS M, FITZGERALD PS, VISVIKIS-SIEST S
Association between EGF and lipid concentrations: a benefit role in the atherosclerotic process?
Clin Chim Acta 2009, 402:196-198
- 127- JEANNESSON E, SIEST G, BASTIEN B, ALBERTINI L, ASLANIDIS C, SCHMITZ G, VISVIKIS-SIEST S
Association of ABCB1 gene polymorphisms with plasma lipid and apolipoprotein concentrations in the Stanislas Cohort
Clin Chim Acta 2009, 403:198-202
- 128- MARTEAU JB, SAMARA A, DEDOISSIS G, PFISTER M, VISVIKIS-SIEST S
Candidate gene microarray analysis in peripheral blood cells for studying hypertension/obesity
Person Med 2009, 6(3):269-291.
- 129- NDIAYE NC, ALBUISSON E, COLOMBET I, CHATELLIER G, MARTEAU JB, DADÉ S, SIEST G, VISVIKIS-SIEST S
Parental precocious influences on offspring cardiovascular risk markers: An exploratory study in the STANISLAS Cohort
Person Med 2009, 6(3):343-352
- 130- BENACHOUR H, ZAIYOU M, HERBETH B, LAMBERT D, LAMONT JV, PFISTER M, SIEST G, TIRET L, BLANKENBERG S, FITZGERALD PS, VISVIKIS-SIEST S.
Human formyl peptide receptor 1 (FPR1) c.32C>T SNP is associated with decreased soluble E-selectin levels
Pharmacogenomics 2009, 10(6):951-959
- 131- DEDOISSIS GVZ, KAPIRI A, SAMARA A, DIMITRIADIS D, LAMBERT D, PFISTER M, SIEST G, VISVIKIS-SIEST S.
Visfatin: The link between inflammation and childhood obesity
Diabetes Care 2009, 32(6):e71
- 132- BENACHOUR H, ZAIYOU M, SAMARA A, HERBETH B, PFISTER M, LAMBERT D, SIEST G, VISVIKIS-SIEST S
Association of human cathelicidin (hCAP18/LL-37) gene expression with cardiovascular disease risk factors
Nutr Metab Cardiovasc Dis 2009, 19:720-728
- 133- DEDOISSIS GVZ, KAPIRI A, KALOGEROPOULOS N, SAMARA A, DIMITRIADIS D, LAMBERT D, PFISTER M, SIEST G, VISVIKIS-SIEST S
Adipokine expression in adipose tissue and in peripheral blood mononuclear cells in children: Correlation with BMI and fatty acid content
Clin Chim Acta 2009, 410(1-2):85-89
- 134- SAMARA A, HERBETH B, AUBERT R, BERRAHMOUNE H, FUMERON F, SIEST G, VISVIKIS-SIEST S
Sex-dependent associations of leptin with metabolic syndrome-related variables: The Stanislas Study

- 135- DUPUIS J, LANGENBERG C, PROKOPENKO I, SAXENA R, SORANZO N, JACKSON AU, WHEELER E, GLAZER NL, BOUATIA-NAJI N, GLOYN AL, LINDGREN CM, MÄGI R, MORRIS AP, RANDALL J, JOHNSON T, ELLIOTT P, RYBIN D, THORLEIFSSON G, STEINTHORSDOTTIR V, HENNEMAN P, GRALLERT H, DEGHAN A, HOTTENGA JJ, FRANKLIN CS, NAVARRO P, SONG K, GOEL A, PERRY JRB, EGAN JM, LAJUNEN T, GRARUP N, SPARSØ T, DONEY A, VOIGHT BF, STRINGHAM HM, LI M, KANONI S, SHRADER P, CAVALCANTI-PROENÇA C, KUMARI M, QI L, TIMPSON NJ, GIEGER C, ZABENA C, ROCHELEAU G, INGELSSON E, AN P, O'CONNELL J, LUAN J, ELLIOTT A, MCCARROLL SA, PAYNE F, ROCCASECCA RM, PATTOU F, SETHUPATHY P, ARDLIE K, ARIYUREK Y, BALKAU B, BARTER P, BEILBY JP, BEN-SHLOMO Y, BENEDIKTSSON R, BENNETT AJ, BERGMANN S, BOCHUD M, BOERWINKLE E, BONNEFOND A, BONNYCASTLE LL, BORCH-JOHNSEN K, BÖTTCHER Y, BRUNNER E, BUMPSTEAD SJ, CHARPENTIER G, CHEN Y, CHINES P, CLARKE R, COIN LJM, COOPER MN, CORNELIS M, CRAWFORD G, CRISPONI L, DAY INM, DE GEUS ECO, D, DINA C, ERDOS MR, FEDSON AC, FISCHER-ROSINSKY A, FOROUHI NG, FOX CS, FRANTS R, FRANZOSI MG, GALAN P, GOODARZI MO, GRAESSLER J, GROVES CJ, GRUNDY S, GWILLIAM R, GYLLENSTEN U, HADJADJ S, HALLMANS G, HAMMOND N, HAN X, HARTIKAINEN A, HASSANALI N, HAYWARD C, HEATH SC, HERCBERG S, HERDER C, HICKS AA, HILLMAN DR, HINGORANI AD, HOFMAN A, HUI J, HUNG J, ISOMAA B, JOHNSON PRV, JØRGENSEN T, JULA A, KAAKINEN M, KAPRIO J, KESANIEMI YA, KIVIMAKI M, KNIGHT B, KOSKINEN S, KOVACS P, KYVIK KO, LATHROP GM, LAWLOR DA, BACQUER OL, LECOEUR C, LI Y, LYSSSENKO V, MAHLEY R, MANGINO M, MANNING AK, MARTÍNEZ-LARRAD MT, MCATEER JB, MCCULLOCH LJ, MCPHERSON R, MEISINGER C, MELZER D, MEYRE D, MITCHELL BD, MORKEN MA, MUKHERJEE S, NAITZA S, NARISU N, NEVILLE MJ, OOSTRA BA, ORRÙ M, PAKYZ R, PALMER CNA, PAOLISSO G, PATTARO C, PEARSON D, PEDEN JF, PEDERSEN NL, PEROLA M, PFEIFFER AFH, PICHLER I, POLASEK O, POSTHUMA D, POTTER SC, POUTA A, PROVINCE MA, PSATY BM, RATHMANN W, RAYNER NW, RICE K, RIPATTI S, RIVADENEIRA F, RODEN M, ROLANDSSON O, SANDBAEK A, SANDHU M, SANNA S, SAYER AA, SCHEET P, SCOTT LJ, SEEDORF U, SHARP SJ, SHIELDS B, SIGURÐSSON G, SIJBRANDS EJJ, SILVEIRA A, SIMPSON L, SINGLETON A, SMITH NL, SOVIO U, SWIFT A, SYDDALL H, SYVÄNEN A, TANAKA T, THORAND B, TICHET J, TÖNJES A, TUOMI T, UITTERLINDEN AG, VAN DIJK KW, VAN HOEK M, VARMA D, VISVIKIS-SIEST S, VITART V, VOGELZANGS N, WAEBER G, WAGNER PJ, WALLEY A, WALTERS GB, WARD KL, WATKINS H, WEEDON MN, WILD SH, WILLEMSSEN G, WITTEMAN JCM, YARNELL JWJ, ZEGGINI E, ZELENKA D, ZETHELIUS B, ZHAI G, ZHAO JH, ZILLIKENS MC, DIAGRAM CONSORTIUM, GIANT CONSORTIUM, GLOBAL BPGEN CONSORTIUM, BORECKI IB, LOOS RJF, MENETON P, MAGNUSSON PKE, NATHAN DM, WILLIAMS GH, HATTERSLEY AT, SILANDER K, SALOMAA V, SMITH GD, BORNSTEIN SR, SCHWARZ P, SPRANGER J, KARPE F, SHULDINER AR, COOPER C, DEDOUSSIS GV, SERRANO-RÍOS M, MORRIS AD, LIND L, PALMER LJ, HU FB, FRANKS PW, EBRAHIM S, MARMOT M, KAO WHL, PANKOW JS, SAMPSON MJ, KUUSISTO J, LAAKSO M, HANSEN T, PEDERSEN O, PRAMSTALLER PP, WICHMANN HE, ILLIG T, RUDAN I, WRIGHT AF, STUMVOLL M, CAMPBELL H, WILSON JF, HAMSTEN A ON BEHALF OF PROCARDIS CONSORTIUM, BERGMAN RN, BUCHANAN TA, COLLINS FS, MOHLKE KL, TUOMILEHTO J, VALLE TT, ALTSHULER D, ROTTER JI, SISCOVICK DS, J BW, PENNINX H, BOOMSMA D, DELOUKAS P, SPECTOR TD, FRAYLING TM, FERRUCCI L, KONG A, THORSTEINSDOTTIR U, STEFANSSON K, VAN DUJN CM, AULCHENKO YS, CAO A, SCUTERI A, SCHLESSINGER D, UDA M, RUOKONEN A, JARVELIN M, WATERWORTH DM, VOLLENWEIDER P, PELTONEN L, MOOSER V, ABECASIS GR, WAREHAM NJ, SLADEK R, FROGUEL P, WATANABE RM, MEIGS JB, GROOP L, BOEHNKE M, MCCARTHY M, FLOREZ JC AND BARROSO I FOR THE MAGIC INVESTIGATORS
New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk
Nat Genet 2010, 42(2):105-116
- 136- MEYRE D, PROULX K, KAWAGOE-TAKAKI H, VATIN V, GUTIERREZ-AGUILAR R, LYON D, MA M, CHOQUET H, HORBER F, VAN HUL W, VAN GAAL L, BALKAU B, VISVIKIS-SIEST S, PATTOU F, FAROOQI IS, SAUDEK V, O'RAHILLY S, FROGUEL P, SEDGWICK B, YEO GSH
Prevalence of loss of function FTO mutations in lean and obese individuals
Diabetes 2010, 59(1):311-318
- 137- HERBETH B, SAMARA A, NDIAYE C, MARTEAU J.B, BERRAHMOUNE H, SIEST G, VISVIKIS-SIEST S
Metabolic syndrome-related composite factors over 5 years in the STANISLAS Family Study: genetic heritability and common environmental influences
Clin Chim Acta, 2010, 411:833-839
- 138- DEDOUSSIS GVZ, KAPIRI A, SAMARA A, DIMITRIADIS D, LAMBERT D, PFISTER M, SIEST G, VISVIKIS-SIEST S.
Expression of inflammatory molecules and associations with BMI in children
Eur J Clin Invest 2010, 40(5):388-392.
- 139- SPELIOTES EK, WILLER CJ, BERNDT SI, MONDA KL, THORLEIFSSON G, JACKSON AU, ALLEN HL, LINDGREN CM, LUAN J, MÄGI R, RANDALL JC, VEDANTAM S, WINKLER TW, QI L, WORKALEMAHU T, HEID IM, STEINTHORSDOTTIR V, STRINGHAM HM, WEEDON MN, WHEELER E, WOOD AR, FERREIRA T, WEYANT RJ, SEGRÈ AV, ESTRADA K, LIANG L, NEMESH J, PARK JH, GUSTAFSSON S, KILPELÄINEN TO, YANG J, BOUATIA-NAJI N, ESKO T, FEITOSA MF, KUTALIK Z,

MANGINO M, RAYCHAUDHURI S, SCHERAG A, SMITH AV, WELCH R, ZHAO JH, ABEN KK, ABSHER DM, AMIN N, DIXON AL, FISHER E, GLAZER NL, GODDARD ME, HEARD-COSTA NL, HOESEL V, HOTTENGA JJ, JOHANSSON A, JOHNSON T, KETKAR S, LAMINA C, LI S, MOFFATT MF, MYERS RH, NARISU N, PERRY JR, PETERS MJ, PREUSS M, RIPATTI S, RIVADENEIRA F, SANDHOLT C, SCOTT LJ, TIMPSON NJ, TYRER JP, VAN WINGERDEN S, WATANABE RM, WHITE CC, WIKLUND F, BARLASSINA C, CHASMAN DI, COOPER MN, JANSSON JO, LAWRENCE RW, PELLIKKA N, PROKOPENKO I, SHI J, THIERING E, ALAVERE H, ALIBRANDI MT, ALMGREN P, ARNOLD AM, ASPELUND T, ATWOOD LD, BALKAU B, BALMFORTH AJ, BENNETT AJ, BENS-HLOMO Y, BERGMAN RN, BERGMANN S, BIEBERMANN H, BLAKEMORE AI, BOES T, BONNYCASTLE LL, BORNSTEIN SR, BROWN MJ, BUCHANAN TA, BUSONERO F, CAMPBELL H, CAPPUCCIO FP, CAVALCANTI-PROENÇA C, CHEN YD, CHEN CM, CHINES PS, CLARKE R, COIN L, CONNELL J, DAY IN, HEIJER MD, DUAN J, EBRAHIM S, ELLIOTT P, ELOSUA R, EIRIKSDOTTIR G, ERDOS MR, ERIKSSON JG, FACHERIS MF, FELIX SB, FISCHER-POSOVSZKY P, FOLSOM AR, FRIEDRICH N, FREIMER NB, FU M, GAGET S, GEJMAN PV, GEUS EJ, GIEGER C, GJESING AP, GOEL A, GOYETTE P, GRALLERT H, GRÄBLER J, GREENAWALT DM, GROVES CJ, GUDNASON V, GUIDUCCI C, HARTIKAINEN AL, HASSANALI N, HALL AS, HAVULINNA AS, HAYWARD C, HEATH AC, HENGSTENBERG C, HICKS AA, HINNEY A, HOFMAN A, HOMUTH G, HUI J, IGL W, IRIBARREN C, ISOMAA B, JACOBS KB, JARICK I, JEWELL E, JOHN U, JØRGENSEN T, JOUSILAHTI P, JULA A, KAAKINEN M, KAJANTIE E, KAPLAN LM, KATHIRESAN S, KETTUNEN J, KINNUNEN L, KNOWLES JW, KOLCIC I, KÖNIG IR, KOSKINEN S, KOVACS P, KUUSISTO J, KRAFT P, KVALØY K, LAITINEN J, LANTIERI O, LANZANI C, LAUNER LJ, LECOEUR C, LEHTIMÄKI T, LETTRE G, LIU J, LOKKI ML, LORENTZON M, LUBEN RN, LUDWIG B; MAGIC, MANUNTA P, MAREK D, MARRE M, MARTIN NG, MCARDLE WL, MCCARTHY A, MCKNIGHT B, MEITINGER T, MELANDER O, MEYRE D, MIDTHJELL K, MONTGOMERY GW, MORKEN MA, MORRIS AP, MULIC R, NGWA JS, NELIS M, NEVILLE MJ, NYHOLT DR, O'DONNELL CJ, O'RAHILLY S, ONG KK, OOSTRA B, PARÉ G, PARKER AN, PEROLA M, PICHLER I, PIETILÄINEN KH, PLATOU CG, POLASEK O, POUTA A, RAFELT S, RAITAKARI O, RAYNER NW, RIDDERSTRÅLE M, RIEF W, RUOKONEN A, ROBERTSON NR, RZEHAK P, SALOMAA V, SANDERS AR, SANDHU MS, SANNA S, SARAMIES J, SAVOLAINEN MJ, SCHERAG S, SCHIPF S, SCHREIBER S, SCHUNKERT H, SILANDER K, SINISALO J, SISCOVICK DS, SMIT JH, SORANZO N, SOVIO U, STEPHENS J, SURAKKA I, SWIFT AJ, TAMMESOO ML, TARDIF JC, TEDER-LAVING M, TESLOVICH TM, THOMPSON JR, THOMSON B, TÖNJES A, TUOMI T, VAN MEURS JB, VAN OMMEN GJ, VATIN V, VIKARI J, VISVIKIS-SIEST S, VITART V, VOGEL CI, VOIGHT BF, WAITE LL, WALLASCHOFSKI H, WALTERS GB, WIDEN E, WIEGAND S, WILD SH, WILMENSEN G, WITTE DR, WITTEMAN JC, XU J, ZHANG Q, ZGAGA L, ZIEGLER A, ZITTING P, BEILBY JP, FAROOQI IS, HEBEBRAND J, HUIKURI HV, JAMES AL, KÄHÖNEN M, LEVINSON DF, MACCIARDI F, NIEMINEN MS, OHLSSON C, PALMER LJ, RIDKER PM, STUMVOLL M, BECKMANN JS, BOEING H, BOERWINKLE E, BOOMSMA DI, CAULFIELD MJ, CHANOCK SJ, COLLINS FS, CUPPLES LA, SMITH GD, ERDMANN J, FROGUEL P, GRÖNBERG H, GYLLENSTEN U, HALL P, HANSEN T, HARRIS TB, HATTERSLEY AT, HAYES RB, HEINRICH J, HU FB, HVEEM K, ILLIG T, JARVELIN MR, KAPRIO J, KARPE F, KHAW KT, KIEMENEY LA, KRUDE H, LAAKSO M, LAWLOR DA, METSPALU A, MUNROE PB, OUWEHAND WH, PEDERSEN O, PENNINX BW, PETERS A, PRAMSTALLER PP, QUERTERMOUS T, REINEHR T, RISSANEN A, RUDAN I, SAMANI NJ, SCHWARZ PE, SHULDINER AR, SPECTOR TD, TUOMILEHTO J, UDA M, UITTERLINDEN A, VALLE TT, WABITSCH M, WAEBER G, WAREHAM NJ, WATKINS H; ON BEHALF OF PROCARDIS CONSORTIUM, WILSON JF, WRIGHT AF, ZILLIKENS MC, CHATTERJEE N, MCCARROLL SA, PURCELL S, SCHADT EE, VISSCHER PM, ASSIMES TL, BORECKI IB, DELOUKAS P, FOX CS, GROOP LC, HARITUNIANS T, HUNTER DJ, KAPLAN RC, MOHLKE KL, O'CONNELL JR, PELTONEN L, SCHLESSINGER D, STRACHAN DP, VAN DUIJN CM, WICHMANN HE, FRAYLING TM, THORSTEINSDOTTIR U, ABECASIS GR, BARROSO I, BOEHNKE M, STEFANSSON K, NORTH KE, I MCCARTHY M, HIRSCHHORN JN, INGELSSON E, LOOS RJ

Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index
Nat Genet 2010, 42(11):937-948.

- 140- ANTONI G, MORANGE PE, LUO Y, SAUT N, BURGOS G, HEATH S, GERMAIN M, BIRON-ANDREANI C, SCHVED J-F, PERNOD G, GALAN P, ZELENIKA D, ALESSI MC, DROUET L, VISVIKIS-SIEST S, WELLS PS, LATHROP M, EMMERICH J, TREGOUET DA, GAGNON F.

A multi-stage multi-design strategy provides strong evidence that the BAI3 locus is associated with early-onset venous thromboembolism

J Thromb Haemost 2010, 8:2671-2679.

- 141- BARKER A, SHARP SJ, TIMPSON NJ, BOUATIA-NAJI N, WARRINGTON NM, KANONI S, BEILIN LJ, BRAGE S, DELOUKAS P, EVANS D, GRONTVED A, HASSANALI N, LAWLOR DA, LECOEUR C, LOOS RJF, LYE SJ, MCCARTHY MI, MORI T, NDIAYE NC, NEWNHAM JP, NTALLA I, PENNELL CE, ST POURCAIN B, PROKOPENKO I, RING SM, SATTAR N, VISVIKIS-SIEST S, DEDOUSSIS GV, PALMER LJ, FROGUEL P, DAVEY SMITH G, EKELUND U, WAREHAM NJ, LANGENBERG C.

Association of genetic Loci with glucose levels in childhood and adolescence: a meta-analysis of over 6,000 children.

Diabetes. 2011 Jan; 60(6):1805-12.

- 142- BUXTON JL, WALTERS RG, VISVIKIS-SIEST S, MEYRE D, FROGUEL P, BLAKEMORE AI.

- Childhood obesity is associated with shorter leukocyte telomere length.
J Clin Endocrinol Metab. 2011 May;96(5):1500-5.
- 143- JEANNESSON E, SIEST G, HERBETH B, ALBERTINI L, SHAHABI P, PFISTER M, VISVIKIS-SIEST S.
 Biological and genetic factors associated with ABCB1 and pregnane-X-receptor expressions in peripheral blood mononuclear cells in the STANISLAS cohort.
Drug Metabol Drug Interact. 2011;26(1):27-32.
- 144- NZIETCHUENG R*, EL SHAMIEH S*, BENACHOUR H, LABAT C, HERBETH B, NDIAYE NC, MASSON C, VISVIKIS-SIEST S, BENETOS A .
 KLOTHO KL-VS genotype is involved in blood pressure regulation.
Clin Chim Acta. 2011;412(19-20):1773-7. * co-first authors
- 145- DEBETTE S*, VISVIKIS-SIEST S*, CHEN MH, NDIAYE NC, SONG C, DESTEFANO A, SAFA R, AZIMI NEZHAD M, SAWYER D, MARTEAU JB, XANTHAKIS V, SIEST G, SULLIVAN L, PFISTER M, SMITH H, CHOI SH, LAMONT J, LIND L, YANG Q, FITZGERALD P, INGELSSON E, VASAN RS**, SESHADRI S**.
 Identification of cis- and trans-acting genetic variants explaining up to half the variation in circulating vascular endothelial growth factor levels.
Circ Res 2011, 109(5): 554-63. * co-first authors, ** co-last authors
- 146- JACQUEMONT S, REYMOND A, ZUFFEREY F, HAREWOOD L, WALTERS RG, KUTALIK Z, MARTINET D, SHEN Y, VALSesia A, BECKMANN ND, THORLEIFSSON G, BELFIORE M, BOUQUILLON S, CAMPION D, DE LEEUW N, DE VRIES BB, ESKO T, FERNANDEZ BA, FERNANDEZ-ARANDA F, FERNANDEZ-REAL JM, GRATACOS M, GUILMATRE A, HOYER J, JARVELIN MR, KOOY RF, KURG A, LE CAIGNEC C, MÄNNIK K, PLATT OS, SANLAVILLE D, VAN HAELEST MM, VILLATORO GOMEZ S, WALHA F, WU BL, YU Y, ABOURA A, ADDOR MC, ALEMBIK Y, ANTONARAKIS SE, ARVEILER B, BARTH M, BEDNAREK N, BENA F, BERGMANN S, BERI M, BERNARDINI L, BLAUMEISER B, BONNEAU D, BOTTANI A, BOUTE O, BRUNNER HG, CAILLEY D, CALLIER P, CHIESA J, CHRAST J, COIN L, COUTTON C, CUISSET JM, CUVELLIER JC, DAVID A, DE FREMINVILLE B, DELOBEL B, DELRUE MA, DEMEER B, DESCAMPS D, DIDELOT G, DIETERICH K, DISCIGLIO V, DOCO-FENZY M, DRUNAT S, DUBAN-BEDU B, DUBOURG C, EL-SAYED MOUSTAFA JS, ELLIOTT P, FAAS BH, FAIVRE L, FAUDET A, FELLMANN F, FERRARINI A, FISHER R, FLORI E, FORER L, GAILLARD D, GERARD M, GIEGER C, GIMELLI S, GIMELLI G, GRABE HJ, GUICHET A, GUILLIN O, HARTIKAINEN AL, HERON D, HIPPOLYTE L, HOLDER M, HOMUTH G, ISIDOR B, JAILLARD S, JAROS Z, JIMENEZ-MURCIA S, HELAS GJ, JONVEAUX P, KAKSONEN S, KEREN B, KLOSS-BRANDSTÄTTER A, KNOERS NV, KOOLEN DA, KROISEL PM, KRONENBERG F, LABALME A, LANDAIS E, LAPI E, LAYET V, LEGALLIC S, LEHEUP B, LEUBE B, LEWIS S, LUCAS J, MACDERMOT KD, MAGNUSSON P, MARSHALL C, MATHIEU-DRAMARD M, MCCARTHY MI, MEITINGER T, MENCARELLI MA, MERLA G, MOERMAN A, MOOSER V, MORICE-PICARD F, MUCCIOLO M, NAUCK M, NDIAYE NC, NORDGREN A, PASQUIER L, PETIT F, PFUNDT R, PLESSIS G, RAJCAN-SEPAROVIC E, RAMELLI GP, RAUCH A, RAVAZZOLO R, REIS A, RENIERI A, RICHART C, RIED JS, RIEUBLAND C, ROBERTS W, ROETZER KM, ROORYCK C, ROSSI M, SAEMUNDSEN E, SATRE V, SCHURMANN C, SIGURDSSON E, STAVROPOULOS DJ, STEFANSSON H, TENGSTRÖM C, THORSTEINSDOTTIR U, TINAHONES FJ, TOURAINE R, VALLEE L, VAN BINSBERGEN E, VAN DER AA N, VINCENT-DELORME C, VISVIKIS-SIEST S, VOLLENWEIDER P, VÖLZKE H, VULTO-VAN SILFHOUT AT, WAEBER G, WALLGREN-PETTERSSON C, WITWICKI RM, ZWOLINKSI S, ANDRIEUX J, ESTIVILL X, GUSELLA JF, GUSTAFSSON O, METSPALU A, SCHERER SW, STEFANSSON K, BLAKEMORE AI, BECKMANN JS, FROGUEL P.
 Reciprocal extreme BMI phenotypes associated with gene dosage at the 16p11.2 locus.
Nature. 2011 Aug 31; 478(7367):97-102.
- 147- HERBETH B, SAMARA A, STATHOPOULOU M, SIEST G, VISVIKIS-SIEST S.
 Alcohol Consumption, Beverage Preference, and Diet in Middle-Ages Men from the STANISLAS Study.
J.Nut.Metabol. 2012 Article ID 987243, 6 pages
- 148- EL SHAMIEH S, NDIAYE NC, STATHOPOULOU M, MURRAY H, MASSON C, LAMONT J, FITZGERALD PS, BENETOS A, VISVIKIS-SIEST S.
 Functional epistatic interaction between rs6046G>A in F7 and rs5355C>T in SELE modifies systolic blood pressure levels.
PLoS ONE 2012; 7(7): e40777.
- 149- EL-SAYED MOUSTAFA JS, ELEFTHEROHORINO H, DE SMITH AJ, ANDERSSON-ASSARSSON JC, ALVES AC, HADJIGEORGIOU E, WALTERS RG, ASHER JE, BOTTOLO L, BUXTON JL, SLADEK R, MEYRE D, DINA C, VISVIKIS-SIEST S, JACOBSON P, SJÖSTRÖM L, CARLSSON LM, WALLEY A, FALCHI M, FROGUEL P, BLAKEMORE AI, COIN LJ.
 Novel association approach for variable number tandem repeats (VNTRs) identifies DOCK5 as a susceptibility gene for severe obesity.
Hum Mol Genet. 2012;21(16):3727-38.
- 150- SHAHABI P, SIEST G, HERBETH B, NDIAYE NC, VISVIKIS-SIEST S.
 Clinical necessity of partitioning of human plasma haptoglobin reference intervals by recently-discovered rs2000999.
Clin Chim Acta. 2012;413(19-20):1618-24.

- 151- DASTANI Z, HIVERT MF, TIMPSON N, PERRY JR, YUAN X, SCOTT RA, HENNEMAN P, HEID IM, KIZERA, SMITH NL, SOVIO U, SWIFT A, SYDDALL H, SYVÄNEN AC, TÖNJES A, UITTERLINDEN AG, VAN DIJK KW, VARMA D, VISVIKIS-SIEST S, VITART V, VOGELZANGS N, WAEBER G, WAGNER PJ, WALLEY A, WARD KL, WATKINS H, WILD SH, WILLEMSSEN G, WITTEMAN JC, YARNELL JW, ZELENKA D, ZETHELIUS B, ZHAI G, ZHAO JH, ZILLIKENS MC; DIAGRAM CONSORTIUM; GIANT CONSORTIUM; GLOBAL B PGEN CONSORTIUM, BORECKI IB, MENETON P, MAGNUSSON PK, NATHAN DM, WILLIAMS GH, SILANDER K, BORNSTEIN SR, SCHWARZ P, SPRANGER J, KARPE F, SHULDINER AR, COOPER C, SERRANO-RÍOS M, LIND L, PALMER LJ, HU FB 1ST, FRANKS PW, EBRAHIM S, MARMOT M, KAO WH, PRAMSTALLER PP, WRIGHT AF, STUMVOLL M, HAMSTEN A; PROCARDIS CONSORTIUM, BUCHANAN TA, VALLE TT, ROTTER JI, PENNINX BW, BOOMSMA DI, CAO A, SCUTERI A, SCHLESSINGER D, UDA M, RUOKONEN A, JARVELIN MR, PELTONEN L, MOOSER V, SLADEK R; MAGIC INVESTIGATORS; GLGC CONSORTIUM, MUSUNURU K, SMITH AV, EDMONDSON AC, STYLIANOU IM, KOSEKI M, PIRRUCCELLO JP, CHASMAN DI, JOHANSEN CT, FOUCHIER SW, PELOSO GM, BARBALIC M, RICKETTS SL, BIS JC, FEITOSA MF, ORHOMELANDER M, MELANDER O, LI X, LI M, CHO YS, GO MJ, KIM YJ, LEE JY, PARK T, KIM K, SIM X, ONG RT, CROTEAU-CHONKA DC, LANGE LA, SMITH JD, ZIEGLER A, ZHANG W, ZEE RY, WHITFIELD JB, THOMPSON JR, SURAKKA I, SPECTOR TD, SMIT JH, SINISALO J, SCOTT J, SAHARINEN J, SABATTI C, ROSE LM, ROBERTS R, RIEDER M, PARKER AN, PARE G, O'DONNELL CJ, NIEMINEN MS, NICKERSON DA, MONTGOMERY GW, MCARDLE W, MASSON D, MARTIN NG, MARRONI F, LUCAS G, LUBEN R, LOKKI ML, LETTRE G, LAUNER LJ, LAKATTA EG, LAAKSONEN R, KYVIK KO, KÖNIG IR, KHAW KT, KAPLAN LM, JOHANSSON Å, JANSSENS AC, IGL W, HOVINGH GK, HENGSTENBERG C, HAVULINNA AS, HASTIE ND, HARRIS TB, HARITUNIANS T, HALL AS, GROOP LC, GONZALEZ E, FREIMER NB, ERDMANN J, EJEBE KG, DÖRING A, DOMINICZAK AF, DEMISSIE S, DELOUKAS P, DE FAIRE U, CRAWFORD G, CHEN YD, CAULFIELD MJ, BOEKHOLDT SM, ASSIMES TL, QUERTERMOUS T, SEIELSTAD M, WONG TY, TAI ES, FERANIL AB, KUZAWA CW, TAYLOR HA JR, GABRIEL SB, HOLM H, GUDNASON V, KRAUSS RM, ORDOVAS JM, MUNROE PB, KOONER JS, TALL AR, HEGELE RA, KASTELEIN JJ, SCHADT EE, STRACHAN DP, REILLY MP, SAMANI NJ, SCHUNKERT H, CUPPLES LA, SANDHU MS, RIDKER PM, RADER DJ, KATHIRESAN S. Novel loci for adiponectin levels and their influence on type 2 diabetes and metabolic traits: a multi-ethnic meta-analysis of 45,891 individuals. *PLoS Genet.* 2012;8(3): e1002607.
- 152- FROGUEL P*, NDIAYE NC*, BONNEFOND A, BOUATIA-NAJI N, DECHAUME A, SIEST G, HERBETH B, FALCHI M, BOTTOLO L, GUÉANT-RODRIGUEZ RM, LECOEUR C, LANGLOIS MR, LABRUNE Y, RUOKONEN A, EL SHAMIEH S, STATHOPOULOU MG, MORANDI A, MAFFEIS C, MEYRE D, DELANGHE JR, JACOBSON P, SJÖSTRÖM L, CARLSSON LM, WALLEY A, ELLIOTT P, JARVELIN MR, DEDOUSSIS GV, VISVIKIS-SIEST S. A Genome-Wide Association Study Identifies rs2000999 as a Strong Genetic Determinant of Circulating Haptoglobin Levels. *PLoS One.* 2012; 7(3):e32327. *co-first authors
- 153- AZIMI-NEZHAD M, HERBETH B, SIEST G, DADE S, NDIAYE NC, ESMAILY H, HOSSEINI SJ, GHAYOUR-MOBARHAN M, VISVIKIS-SIEST S. High Prevalence of Metabolic Syndrome in Iran in Comparison with France: What Are the Components That Explain This ? *Metab Syndr Relat Disord* 2012; Janv. 27
- 154- PALMER ND, MCDONOUGH CW, HICKS PJ, ROH BH, WING MR, AN SS, HESTER JM, COOKE N, BOSTROM MA, RUDOCK ME, TALBERT ME, LEWIS JP; DIAGRAM CONSORTIUM; MAGIC INVESTIGATORS, FERRARA A, LU L, ZIEGLER JT, SALE MM, DIVERS J, SHRINER D, ADEYEMO A, ROTIMI CN, NG MC, LANGEFELD CD, FREEDMAN BI, BOWDEN DW, VOIGHT BF, SCOTT LJ, STEINTHORSDDOTTIR V, MORRIS AP, DINA C, WELCH RP, ZEGGINI E, HUTH C, AULCHENKO YS, THORLEIFSSON G, MCCULLOCH LJ, FERREIRA T, GRALLERT H, AMIN N, WU G, WILLER CJ, RAYCHAUDHURI S, MCCARROLL SA, LANGENBERG C, HOFMANN OM, DUPUIS J, QI L, SEGRÉ AV, VAN HOEK M, NAVARRO P, ARDLIE K, BALKAU B, BENEDIKTSSON R, BENNETT AJ, BLAGIEVA R, BOERWINKLE E, BONNYCASTLE LL, BOSTRÖM KB, BRAVENBOER B, BUMPSTEAD S, BURTT NP, CHARPENTIER G, CHINES PS, CORNELIS M, COUPER DJ, CRAWFORD G, DONEY AS, ELLIOTT KS, ELLIOTT AL, ERDOS MR, FOX CS, FRANKLIN CS, GANSER M, GIEGER C, GRARUP N, GREEN T, GRIFFIN S, GROVES CJ, GUIDUCCI C, HADJADJ S, HASSANALI N, HERDER C, ISOMAA B, JACKSON AU, JOHNSON PR, JØRGENSEN T, KAO WH, KLOPP N, KONG A, KRAFT P, KUUSISTO J, LAURITZEN T, LI M, LIEVERSE A, LINDGREN CM, LYSSSENKO V, MARRE M, MEITINGER T, MIDTHJELL K, MORKEN MA, NARISU N, NILSSON P, OWEN KR, PAYNE F, PERRY JR, PETERSEN AK, PLATOU C, PROENÇA C, PROKOPENKO I, RATHMANN W, RAYNER NW, ROBERTSON NR, ROCHELEAU G, RODEN M, SAMPSON MJ, SAXENA R, SHIELDS BM, SHRADER P, SIGURDSSON G, SPARSØ T, STRASSBURGER K, STRINGHAM HM, SUN Q, SWIFT AJ, THORAND B, TICHET J, TUOMI T, VAN DAM RM, VAN HAEFTEN TW, VAN HERPT T, VAN VLIET-OSTAPTCHOUK JV, WALTERS GB, WEEDON MN, WIJMENGA C, WITTEMAN J, BERGMAN RN, CAUCHI S, COLLINS FS, GLOYN AL, GYLLENSTEN U, HANSEN T, HIDE WA, HITMAN GA, HOFMAN A, HUNTER DJ, HVEEM K, LAAKSO M, MOHLKE KL, MORRIS AD, PALMER CN, PRAMSTALLER PP, RUDAN I, SIJBRANDS E, STEIN LD, TUOMILEHTO J, UITTERLINDEN A,

WALKER M, WAREHAM NJ, WATANABE RM, ABECASIS GR, BOEHM BO, CAMPBELL H, DALY MJ, HATTERSLEY AT, HU FB, MEIGS JB, PANKOW JS, PEDERSEN O, WICHMANN HE, BARROSO I, FLOREZ JC, FRAYLING TM, GROOP L, SLADEK R, THORSTEINSDOTTIR U, WILSON JF, ILLIG T, FROGUEL P, VAN DUIJN CM, STEFANSSON K, ALTSCHULER D, BOEHNKE M, MCCARTHY MI, SORANZO N, WHEELER E, GLAZER NL, BOUATIA-NAJI N, MÄGI R, RANDALL J, JOHNSON T, ELLIOTT P, RYBIN D, HENNEMAN P, DEHGHAN A, HOTTENGA JJ, SONG K, GOEL A, EGAN JM, LAJUNEN T, DONEY A, KANONI S, CAVALCANTI-PROENÇA C, KUMARI M, TIMPSON NJ, ZABENA C, INGELSSON E, AN P, O'CONNELL J, LUAN J, ELLIOTT A, MCCARROLL SA, ROCCASECCA RM, PATTOU F, SETHUPATHY P, ARIYUREK Y, BARTER P, BEILBY JP, BEN-SHLOMO Y, BERGMANN S, BOCHUD M, BONNEFOND A, BORCH-JOHNSEN K, BÖTTCHER Y, BRUNNER E, BUMPSTEAD SJ, CHEN YD, CHINES P, CLARKE R, COIN LJ, COOPER MN, CRISPONI L, DAY IN, DE GEUS EJ, DELPLANQUE J, FEDSON AC, FISCHER-ROSINSKY A, FOROUHI NG, FRANTS R, FRANZOSI MG, GALAN P, GOODARZI MO, GRAESSLER J, GRUNDY S, GWILLIAM R, HALLMANS G, HAMMOND N, HAN X, HARTIKAINEN AL, HAYWARD C, HEATH SC, HERCBERG S, HICKS AA, HILLMAN DR, HINGORANI AD, HUI J, HUNG J, JULA A, KAAKINEN M, KAPRIO J, KESANIEMI YA, KIVIMAKI M, KNIGHT B, KOSKINEN S, KOVACS P, KYVIK KO, LATHROP GM, LAWLOR DA, LE BACQUER O, LECOEUR C, LI Y, MAHLEY R, MANGINO M, MANNING AK, MARTÍNEZ-LARRAD MT, MCATEER JB, MCPHERSON R, MEISINGER C, MELZER D, MEYRE D, MITCHELL BD, MUKHERJEE S, NAITZA S, NEVILLE MJ, OOSTRA BA, ORRÚ M, PAKYZ R, PAOLISSO G, PATTARO C, PEARSON D, PEDEN JF, PEDERSEN NL, PEROLA M, PFEIFFER AF, PICHLER I, POLASEK O, POSTHUMA D, POTTER SC, POUTA A, PROVINCE MA, PSATY BM, RAYNER NW, RICE K, RIPATTI S, RIVADENEIRA F, ROLANDSSON O, SANDBAEK A, SANDHU M, SANNA S, SAYER AA, SCHEET P, SEEDORF U, SHARP SJ, SHIELDS B, SIJBRANDS EJ, SILVEIRA A, SIMPSON L, SINGLETON A, SMITH NL, SOVIO U, SWIFT A, SYDDALL H, SYVÄNEN AC, TANAKA T, TÖNJES A, UITTERLINDEN AG, VAN DIJK KW, VARMA D, VISVIKIS-SIEST S, VITART V, VOGELZANGS N, WAEBER G, WAGNER PJ, WALLEY A, WARD KL, WATKINS H, WILD SH, WILLEMSEN G, WITTEMAN JC, YARNELL JW, ZELENKA D, ZETHELIUS B, ZHAI G, ZHAO JH, ZILLIKENS MC, BORECKI IB, LOOS RJ, MENETON P, MAGNUSSON PK, NATHAN DM, WILLIAMS GH, SILANDER K, SALOMAA V, SMITH GD, BORNSTEIN SR, SCHWARZ P, SPRANGER J, KARPE F, SHULDINER AR, COOPER C, DEDOUSSIS GV, SERRANO-RÍOS M, LIND L, PALMER LJ, FRANKS PW, EBRAHIM S, MARMOT M, KAO WH, PRAMSTALLER PP, WRIGHT AF, STUMVOLL M, HAMSTEN A, BUCHANAN TA, VALLE TT, ROTTER JI, SISCOVICK DS, PENNINX BW, BOOMSMA DI, DELOUKAS P, SPECTOR TD, FERRUCCI L, CAO A, SCUTERI A, SCHLESSINGER D, UDA M, RUOKONEN A, JARVELIN MR, WATERWORTH DM, VOLLENWEIDER P, PELTONEN L, MOOSER V, SLADEK R.

A genome-wide association search for type 2 diabetes genes in African Americans.

PLoS ONE. 2012; 7(1): e29202

- 155- EL SHAMIEH S, HERBETH B, AZIMI NEZHAD M, BENACHOUR H, MASSON C, VISVIKIS-SIEST S.
Human formyl peptide receptor 1 C32T SNP interacts with age and is associated with blood pressure levels.
Clin Chim Acta 2012 (413) 34-38
- 156- SAMARA A, HERBETH B, NDIAYE NC, FUMERON F, BILLOD S, SIEST G, VISVIKIS-SIEST S.
Dairy product consumption, calcium intakes, and metabolic syndrome-related factors over 5 years in the STANISLAS study.
Nutrition 2013; 29(3): 519-24
- 157- NIVET-ANTOINE V, LABAT C, EL SHAMIEH S, DULCIRE X, COTTART CH, BEAUDEUX JL, ZANNAD F, VISVIKIS-SIEST S, BENETOS A.
Relationship between catalase haplotype and arterial aging.
Atherosclerosis 2013 Mar; 227(1): 100-5
- 158- STATHOPOULOU MG*, BONNEFOND A*, NDIAYE NC*, AZIMI-NEZHAD M, EL SHAMIEH S, SALEH A, RANCIER M, SIEST G, LAMONT J, FITZGERALD P, VISVIKIS-SIEST S.
A common variant highly associated with plasma VEGFA levels also contributes to the variation of both LDL-C and HDL-C.
J Lipid Res. 2013; 54(2): 535-41. * co-first authors
- 159- NDIAYE NC, SHAMIEH SE, STATHOPOULOU MG, SIEST G, TSAI MY, VISVIKIS-SIEST S.
Epistatic study reveals two genetic interactions in blood pressure regulation.
BMC Med Genet. 2013;14(1):2
- 160- AZIMI-NEZHAD M*, STATHOPOULOU MG*, BONNEFOND A, RANCIER M, SALEH A, LAMONT J, FITZGERALD P, NDIAYE NC, VISVIKIS-SIEST S.
Associations of vascular endothelial growth factor (VEGF) with adhesion and inflammation molecules in a healthy population.
Cytokine 61 (2013) 602-607. *co-first authors
- 161- EVANS DM, BRION MJ, PATERNOSTER L, KEMP JP, MCMAHON G, MUNAFÒ M, WHITFIELD JB, MEDLAND SE, MONTGOMERY GW; GIANT Consortium; CRP Consortium; TAG Consortium, TIMPSON NJ, ST POURCAIN B, LAWLOR DA, MARTIN NG, DEHGHAN A, HIRSCHHORN J, DAVEY SMITH G. COLLABORATORS: SPELIOTES EK, WILLER CJ, BERNDT SI,...., VISVIKIS-SIEST S,...., KRAFT P, LIN DY, SULLIVAN PF.
Mining the human phenome using allelic scores that index biological intermediates.

- PLoS Genet. 2013; e1003919. PMID: 24204319.
- 162- STATHOPOULOU MG, MONTEIRO P*, SHAHABI P*, PENAS-LLEDO E, EL SHAMIEH S, SILVA SANTOS L, THILLY N, SIEST G, LLERENA A, VISVIKIS-SIEST S.
Newly identified synergy between Clopidogrel and calcium-channel blockers for blood pressure regulation possibly involves CYP2C19 rs4244285.
Int J Cardiol. 2013 Oct 3; 168(3):3057-8. *co-second authors
- 163- FALCHI M, EL-SAYED MOUSTAFA JS, TAKOUSIS P, PESCE F, BONNEFOND A, ANDERSSON-ASSARSSON JC, SUDMANT PH, DORAJOO R, AL-SHAFI MASHAEL NEDHAM, BOTTOLO L, OZDEMIR E, SO HC, DAVIES RW, PATRICE A, DENT R, MANGINO M, HYSI PG, DECHAUME A, HUYVAERT M, SKINNER J, PIGEYRE M, CAIAZZO R, RAVERDY, VAILLANT E, FIELD S, BALKAU B, MARRE M, VISVIKIS-SIEST S, WEILL J, POULAIN-GODEFROY O, JACOBSON P, SJOSTROM L, HAMMOND CJ, DELOUKAS P, SHAM PC, MCPHERSON R, LEE JJ, SHYONG TE, SLADEK R, CARLSSON LMS, WALLEY A, EICHLER EE, PATTOU F, SPECTOR TD, FROGUEL P.
Low number of copies of the salivary amylase gene predisposes to obesity.
Nat. Genet. 2014 May; 46(5): 492-7 doi: 10.1038/ng.2939.
- 164- CLEMENT B, YUILLE M, ZALTOUKAL K, WICHMANN HE, ANTON G, PARODI B, KOZERA L, BRECHOT C, HOFMAN P, DAGHER G; EU-US Expert Group on cost recovery in biobanks. Collaborators: ANTON G, BENESSIONO J ,..., VISVIKIS-SIEST S, ZABOT MT.
Public biobanks: calculation and recovery of costs.
Sci Transl Med. 2014 Nov, 5; 6 (261): 261fs45. doi: 10.1126/scitranslmed.3010444.
- 165- STATHOPOULOU MG, PETRELIS AM, BUXTON JL, FROGUEL P, BLAKEMORE AIF, VISVIKIS-SIEST S.
Genetic determinants of leukocyte telomere length in children: a neglected and challenging field
Paediatr Perinat Epidemiol. 2015 Mar; 29(2): 146-50.
- 166- GOODARZ D*, SAMAN F*, YUAN L, ..., LEANNE MR, MOHAMMED KA, MAJID E. COLLABORATORS: GOODARZ D*, SAMAN F*, ..., NDIAYE NC*, ..., VISVIKIS-SIEST S*, ..., YINGFENG Z*.
Impact of diabetes definition on global surveillance of diabetes prevalence and diagnosis: pooled analysis of 96 population-based studies with 331,000 participants.
The Lancet Diabetes & Endocrinology (www.thelancet.com/diabetes-endocrinology). Published online June 22, 2015 [http://dx.doi.org/10.1016/S2213-8587\(15\)00129-1](http://dx.doi.org/10.1016/S2213-8587(15)00129-1). * equal contribution; listed alphabetically
- 167- SALEH A*, STATHOPOULOU MG*, DADE S, NDIAYE NC, AZIMI-NEZHAD M, MURRAY H, MASSON C, LAMONT J, FITZGERALD P, VISVIKIS-SIEST S.
Angiogenesis related genes NOS3, CD14, MMP3 and IL4R are associated to VEGF gene expression and circulating levels in physiological conditions.
BMC Medical Genetics. 2015 Oct 5;16: 904, 0234-6. *co-first authors.
- 168- CHOI SH*, RUGGIERO D*, SORICE R*, SONG C, NUTILE T, VERNON SMITH A, PINA CONCAS M, TRAGLIA M, BARBIERI C, NDIAYE NC, STATHOPOULOU MG, LAGOU V, BATTISTA MAESTRALE G, SALA C, E DEBETTE SA, KOVACS P, LIND L, LAMONT J, FITZGERALD P, TÖNJES A, GUDNASON V, INGELSSON E, TONIOLO D, PIRASTU M, BELLENGUEZ C, VASAN RS, LEUTENEGGER AL, DESTEFANO AL, VISVIKIS-SIEST S, SESHADRI S**, CIULLO M**.
Six novel loci associated with circulating VEGF levels identified by a meta-analysis of genome-wide association studies. PLoS Genet. 2016 Feb 24;12(2):e1005874. * co-first authors. ** co-last authors.
- 169- DI CESARE M, ... STATHOPOULOU MG, ... VISVIKIS-SIEST S, ... ZUÑIGA CISNEROS J.
The weight of the world – trends in adult body mass index in 200 countries since 1975: pooled analysis of 1,698 population-based measurement studies with 19.2 million participants. Lancet. 2016 Apr 2;387(10026):1377-96. doi: 10.1016/S0140-6736(16)30054-X.
- 170- ZHOU B, LU Y, HAJIFATHALIAN K, BENTHAM J, DI CESARE M, ... NDIAYE NC, ... STATHOPOULOU MG, ... VISVIKIS-SIEST S, ... ZHAO W, ZHENG Y, ZUÑIGA CISNEROS J. Worldwide trends in diabetes since 1980: pooled analysis of 751 population-based measurement studies with over 4.4 million participants. NCD Risk Factor Collaboration (NCD-RisC). Lancet. 2016 Apr 9;387(10027):1513-30. doi: 10.1016/S0140-6736(16)00618-8. Epub 2016 Apr 6.
- 171- BENTHAM J, DI CESARE M, STEVENS GA, ... STATHOPOULOU MG, ... VISVIKIS-SIEST S, ... ZHAO W, ZHENG Y, ZUÑIGA CISNEROS J. A century of trends in adult human height. NCD Risk Factor Collaboration (NCD-RisC). Elife. 2016 Jul 26;5. pii: e13410. doi: 10.7554/eLife.13410.
- 172- GBADOE KM, BERDOUZI N, AGUIÑANO AA, NDIAYE NC, VISVIKIS-SIEST S. Cardiovascular diseases-related GNB3 C825T polymorphism has a significant sex-specific effect on serum soluble E-selectin levels. J Inflamm (Lond). 2016 Dec 9;13:39.
- 173- ALDASORO ARGUINANO A, NADERI E, NDIAYE NC, STATHOPOULOU M, DADE S, ALIZADEH B, VISVIKIS-SIEST S. IL6R haplotype rs4845625*T/rs4537545*C is a risk factor for simultaneously high CRP, LDL and ApoB levels. Genes and Immunity. 3 August 2017. Doi:10.1038/gene.2017.16. ISSN: 1466-4879.
- 174- ALEX-ANDER ALDASORO ARGUINANO, SEBASTIEN DADE, MARIA STATHOPOULOU, MARC DERIVE, NDEYE COUMBA NDIAYE, TING XIE, CHRISTINE MASSON, SEBASTIEN GIBOT, SOPHIE VISVIKIS-SIEST. TREM-1 SNP rs2234246 regulates TREM-1 protein and mRNA levels and is associated with plasma levels of L-selectin. PLOS One. <https://doi.org/10.1371/journal.pone.0182226>.

175- ALEX-ANDER ALDASORO ARGUINANO¹, NDEYE COUMBA NDIAYE¹, CHRISTINE MASSON¹, SOPHIE VISVIKIS-SIEST. Pleiotropy of ABO gene. Effects of rs644234 on E-selectin and lipid traits. CCLM (Under Press).